
							Scan	ned by	Da	te	Doc	ID#
							D	CH	2/14	1/08		960
	E ONLY:	Paper Repo	rt <u>□</u> E	lectronic Data - Ema	il CD (data	loaded: Yes	/No)		Doc/Event		al Man	itoring
NC DEN		e Manageme	ent - Solic	l Waste				ı	ENVIRO		porting	_
Notice: T	his form and	any information	n attached 1	o it are "Public Record	ds" as define	d in NC Gene	ral Statu	te 132-1. As	such, these			able
for Inspect	ion and exa	mination by any	person upo	n request (NC Genera	Statute 132	-6).				10	600	- 1235 1235
٠	Prepare of Please typ Attach a ne must include condition.	e or print legion of the p	bly. with values y analysis o	tally monitored unit that attain or excee f the cause and signi	d NC 2L gro ificance of e	ach value. (e	e.g. natu	rally occurr	ing, off-site	ater Standa Standa Standa Standa Standa	ards The	notification
	Attach a no facility (NC Send the co	otification table AC 13B .1629 original signed	of any met (4)(a)(i). and sealed	ndwater or surface v hane gas values tha form, any tables, an aleigh, NC 27699-16	t attain or ex d Electronic	ceed explos	sive gas	levels. Thi	s includes	any stor	tures on or	mearby the
Solid W	Vaste Mo	nitoring Da	ta Subm	ittal Informatior	1							
Name of	entity sub	mitting data (k	aboratory,	consultant, facility	owner):							
Mecklen	burg Cou	nty Land Use	e & Enviro	nmental Services								
Contact t	for questio	ns about data	formatting	. Include data prep	arer's nam	e, telephone	numbe	er and E-m	all addres	s :		
Name:		Tyndall, P.G.				(704) 336-54						
-		dall@Mecklenk	ouroCountyl	NC.gov	-	,						
E-mail:	QUINIA.LYII	201169111001110111			<u> </u>							<u> </u>
acility na	me:		Facility Ad	ldress:		Facility Pe	rmit #	NC Landf (.0500 or			ampling da 20-24, 200	
=	Road Land	dfill	15401 Ho	lbrooks Road lle, NC 28078		60-02		.0500		Sept. 10	D-18, 2007	
		tus: (Check al		r) Detection Monitor	ring [Asses	sment N	Monitoring		Corre	ctive Action	1
X G	Groundwate Groundwate Grachate mo	Itted: (Check a r monitoring da r monitoring da pnitoring data er monitoring d	ita from moi ita from priv	ly) nitoring wells ate water supply wel	ls 🔀		e action	itoring data data (speci				
X Y P	es, a notific nonitoring p reliminary a es, a notific	ndwater or surf cation of values oints, dates, ar	e exceeding nalytical value cause and s s exceeding	tandards or explosive a groundwater or su ues, NC 2L groundwa ignificance of any co an explosive metha ts.	urface water ater standar incentration.	standard is d, NC 2B sur	attached face wa	i. It include ter standar	d or NC So	lid Waste	GWPS and	đ
Certific	cation				<u> </u>							
Furthern levels, a are sign	nore, I hav ind a preiir ificant pen	e attached co	omplete no is of the ca ing any fak	tion reported and a tification of any sa use and significan se statement, repre-	mpling value of concessentation, contaction, contactio	ues meeting entrations e or certificati	or exc xceeding on inclu	eeding groundy ding the p	oundwater vater stan ossibility	standard dards. I a of a fine a	as or expi sm aware	osive gas that there
Facility Re		e Name (Print)	• • • • •	THE		•) 334 ode) Teleph			enal Geolo	gist Seal
	1			2 34		FUS. 2	00	R WINKIN	LIGHISE	H CAA		g.o. 0041
Signature	₋				Da	te		i	Of.	cene SEAL 1845		
Revised 1	0/2006							-	\gi ₁	ROLOGI	الأفاد	





MECKLENBURG COUNTY

Land Use and Environmental Services Agency

February 4, 2008

Jaclynne Drummond
North Carolina Department of Environment
and Natural Resources
Division of Waste Management
Groundwater Compliance Unit
Mail Service Center 1646
Raleigh, NC 27699-1646

Subject:

Holbrooks Road Landfill Permit 60-02

Semi-annual Monitoring Results

Dear Ms. Drummond:

Please find enclosed the laboratory report and spreadsheets for the closed Holbrooks Road Landfill September 2007 water quality monitoring event. Samples were collected from fifteen (15) monitoring wells (HRW-7, HRW-8, HRW-9, HRW-10, HRW-11R, HRW-12, HRW-13, HRW-14, HRW-15 HRW-16, HRW-17, HRW-18, HRW-19, HRW-20 and HRW-21) and three (3) surface-water sampling locations (HRSW-2, HRSW-3 and HRSW-4). Samples were analyzed for metals and volatile organic compounds ("VOCs") in accordance with the approved Sampling and Analysis Plan dated March 3, 2003. Field measurements of temperature, pH, and specific conductivity were made at each sampling location using a calibrated instrument. Additionally, measurements of dissolved oxygen were made at each surface-water sampling location.

The Excel spreadsheets containing the monitoring data are labeled to reflect the units that are used for reporting. Detection levels and applicable standards have been included for all sampling locations. Surface water standards listed are the water quality standards established for freshwater classification for aquatic life as outlined in 15A NCAC 2B "Classification and Water Quality Standards Applicable to Surface Waters of North Carolina". Groundwater standards listed are the standards outlined in 15A NCAC 2L "Classification of Water Quality Standards applicable to the Groundwaters of North Carolina". If the sample is reported in parts per billion, then the standard is also reported in parts per billion. Results exceeding water quality standards are highlighted in yellow for ease of identification.

Groundwater samples:

Cadmium was detected at 30 ug/l in the sample collected from HRW-7. This is the only metal detected above the 2L standard for any of the samples collected this event. Cadmium first detected in HRW-7 in September 2004. Historical range of detection has been 3.6 ug/l to 45 ug/l.

\$. - - +

VOCs were detected in samples collected from six monitoring wells (HRW-7, HRW-9, HRW-12, HRW-13, HRW-17 and, HRW-18). The table below summarizes VOC's detected. Results shown in bold exceed the 2L Standard.

Well ID	Volatile Constituent	Concentration	2L Standard	
		(ppb)	(ppb)	
HRW-7	cis-1,2-Dichloroethene	13	70	
1112.44 - 7	Trichloroethene	11	2.8	
	1,2-Dichlorobenzene	5	620	
	1,4-Dichlorobenzene	6	75	
	1,1-Dichloroethane	40	700	
	cis-1,2-Dichloroethene	91	70	
HRW-9	Methylene Chloride	12	4.6	
	Tetrachlorethene	7	0.7	
	Trichloroethene	11	2.8	
	Trichlorofluoromethane	19	2,100	
	Vinyl Chloride	8	0.015	
HRW-12	1,1-Dichloroethane	4	700	
HRW-13	1,1-Dichloroethane	20	700	
HKW-13	Cis-1,2-Dichloroethene	6	70	
	Chloroethane	7	2,800	
HRW-17	1,1-Dichloroethane	28	700	
	Cis-1,2-Dichloroethene	6	70	
	Benzene	10	1	
	Chloroethane	9	2,800	
	1,1-Dichloroethane	63	700	
	1,4-Dichlorobenzene	5	75	
HRW-18	cis-1,2-Dichloroethene	6	70	
	Trichloroethene	3	2.8	
	Trichlorofluoromethane	. 27	2,100	
	Vinyl Chloride	25	0.015	

The number of VOCs detected in HRW-7 declined from three to two compared to the March 2007 sampling results. Vinyl Chloride was not detected this sampling event. Trichloroethene was detected above the 2L Standard.

The number of VOCs detected in HRW-9 decreased from ten to nine as compared with the March 2007 sampling results. Benzene was not detected this sampling event. Concentrations of VOCs detected were similar to the March 2007 results.

Page 3

The number of VOC's detected in HRW-12 declined from two to one compared with the September 2006 sampling results. Chlorobenzene was not detected this sampling event. The VOC detected in HRW-12 was below the 2L Standard.

The number of VOCs detected in HRW-13 was the same as the March 2007 sampling results. Concentrations declined slightly. VOCs detected in HRW-13 were below the 2L Standard.

The number of VOCs detected in HRW-17 increased from two to three compared with the September 2006 sampling results. Chloroethane was detected this sampling event. Concentrations of 1,1-Dichloroethene and Cis-1,2-Dichloroethene remained similar to the September 2006 results. VOCs detected in HRW-17 were below the 2L Standard.

The number of VOC's detected in the sample collected from HRW-18 increased six to eight compared with the March 2007 sampling results. Trichlorôethylene and 1,4-Dichlorobenzene detected last in the September 2006 monitoring were again detected this sampling event. Vinyl Chloride and Benzene were detected above the 2L Standard.

Field-measured parameters for groundwater samples are summarized in the table below.

Sample Location	Temp. °C	pН	Specific Conductivity umho/cm		
HRW-7	19.0	5.80	623		
HRW-8	15.0	5.96	152		
HRW-9	14.0	5.94	775		
HRW-10	16.6	6.56	965		
HRW-11R	16.4	5.85	1,570		
HRW-12	16.4	6.37	2,340		
HRW-13	16.5	5.80	322		
HRW-14	14.0	6.78	177		
HRW-15	14.8	7.11	186		
HRW-16	17.1	6.58	339		
HRW-17	14.7	6.22	1,120		
HRW-18	17.0	6.41	1,326		
HRW-19	16.7	6.61	269		
HRW-20	15.9	6.24	229		
HRW-21	16.3	5.94	491		

Temperatures measured ranged from a low of 14.0° Celsius in HRW-14 to a high of 19.0° Celsius in HRW-7.

Measurements of pH ranged from a low of 5.80 in wells HRW-7 and HRW-13 to a high of 7.11 in HRW-15. Measurements of pH were more acidic than the 2L Standard range of 6.5 to 8.5 standard units in wells HRW-7, HRW-8, HRW-9, HRW-11R, HRW-12R, HRW-13, HRW-17, HRW-18, HRW-20 and background well HRW-21.

Specific conductivity measurements ranged from a low of 177 umho/cm in well HRW-14 to a high of 2,340 umho/cm in well HRW-12.

Surface-water samples:

No metals or VOCs were detected in any of the three surface-water sampling locations (HRSW-2, HRSW-3 and HRSW-4). All field-measured parameters were within the established regulatory limits and consistent with historical measurements. The table below summarizes field-measured parameters for surface-water samples.

Sample Location	Temp. °C	pН	Specific Conductivity	Dissolved Oxygen
HRSW-2	16.7	7.64	239 umho/cm	7.47 mg/l
HRSW-4	15.8	7.72	236 umho/cm	8.07 mg/l
HRSW-3	15.6	7.62	236 umho/cm	8.10 mg/l

Please call me at (704) 336-5454 if you have any questions regarding this report.

SEAL
1845
Dennis F. Tyndall, P.G.
Hydrogeologist
Groundwater and Wastewater Services

cc: Amber Lindon, P.G., Mecklenburg County LUESA, Solid Waste Management